






**SCREWDRIVERS
SCHRAUBENDREHER
TOURNEVIS**



Screwdrivers
Schraubendreher
Tournevis


Z-SERIES
HAND
TITANIUM
ACCESSORIES
SCREWDRIVERS
IMPACT
SLEEVE-DRIVE
PROTECTOR
INDUSTRIAL
AUTOMOTIVE
MOTORCYCLE
CONSTRUCTION
SPARE PART

167M / 167A  Socket Drivers
Sechskant Steckschlüssel, mit Griff
Clé à douille avec manche






167M (mm)	D (mm)	H ₁ (mm)	H ₂ (mm)	H ₃ (mm)	L (mm)	 (g)	 (pcs.)
3	5.8	3	25	125	225	62	6
3.5	5.8	3	25	125	225	62	6
4	6.7	3.5	25	125	225	64	6
4.5	7.2	4.5	25	125	225	65	6
5	7.8	5	25	125	225	66	6
5.5	8.4	5.5	25	125	225	68	6
6	9.1	6	25	125	225	70	6
7	10.9	6.5	25	125	235	101	6
8	12	7	25	125	235	103	6
9	13.2	7.5	25	125	235	107	6
10	14.5	8	25	125	235	111	6
11	15.9	8.5	25	125	245	155	6
12	16.8	9	25	125	245	161	6
13	18.2	9.5	25	125	245	167	6
14	19.2	11	25	125	245	178	6




167A (inch)	D (mm)	H ₁ (mm)	H ₂ (mm)	H ₃ (mm)	L (mm)	 (g)	 (pcs.)
1/4	9.1	6	25	125	225	70	6

167C (2B)  Interchangeable Socket Driver, **Nut Grip®**
Universalgriff mit auswechselbaren **Nut Grip®** Steckschlüsselklingen
Clé à douille interchangeable avec manche **NUT Nut Grip®**

167C/3-2B  Set 3 pieces
Satz 3teilig
Jeu de 3 tournevis





167C(2B) (mm)	D (mm)	H ₁ (mm)	H ₂ (mm)	H ₃ (mm)	L (mm)	 (g)	 (pcs.)
7(2B)	11.5	4	38	122	235	120	6
8(2B)	12.3	5	38	122	235	125	6
10(2B)	14.2	6	38	122	235	130	6
12(2B)	17.3	7	38	122	235	135	6

167C/3-2B	4 Pieces Set/  =280g
PLASTIC BAG	
Socket Drivers	
 Socket:	7, 8, 10
 Grip:	167C-GRIP

168H-B



Ball Point Hex Screwdrivers
Schraubendreher Innensechskant mit Kugelkopf
Tournevis avec tête sphérique pour vis 6-pans creux




168H (mm)	H (mm)	L (mm)	(g)	(pcs.)
3B	80	150	25	6
4B	125	225	60	6
5B	125	235	85	6
6B	125	245	150	6
7B	125	245	151	6
8B	125	245	153	6

Ball point Hex Screwdrivers have less strength due to the special design. Make sure to use them correctly.

168T (TH)



Screwdriver for TORX® Tamper Resistant
TORX® Schraubendreher Tamper-Resistant
Tournevis pour vis TORX® tamper resistant



168T (TH)	H (mm)	L (mm)	(g)	(pcs.)
T10H	80	150	25	6
T15H	80	150	25	6
T20H	125	225	60	6
T25H	125	225	60	6
T27H	125	235	90	6
T30H	125	235	92	6
T40H	125	245	153	6

Tamper Resistant TORX® Screwdrivers have less strength due to the special design. Make sure to use it correctly.

168T/7-TH	(g)
168T-T10H, T15H, T20H, T25H, T27H, T30H, T40H	480



168T/7 (TH)





Set 7 pieces
Satz 7teilig
Jeu de 7 tournevis



168P (PZ)




Pozidriv Screwdrivers
Schraubendreher, Pozidriv
Tournevis pour vis Pozidriv






168P (PZ)	H (mm)	L (mm)	(g)	(pcs.)
PZ1	75	175	78	6
PZ2	100	210	129	6
PZ3	150	270	203	6

Screwdrivers
Schraubendreher
Tournevis

Z-SERIES
HAND
TITANIUM
ACCESSORIES
SCREWDRIVERS
IMPACT
SLEEVE-DRIVE
PROTECTOR
INDUSTRIAL
AUTOMOTIVE
MOTORCYCLE
CONSTRUCTION
SPARE PART


166P  Screwdriver PH (Blade-Through type)
Kreuzschlitz Schraubendreher PH mit durchgehender 6-kant Klinge
Tournevis cruciforme PH avec lame hexagonale traversante

166S  Slotted screwdriver (Blade-Through type)
Schlitz-Schraubendreher mit durchgehender 6-kant Klinge
Tournevis pour vis à fente avec lame hexagonale traversante



FLAT HAMMERING HEAD
FLACHES SCHLAGENDE
BATTEMENT PLAT

BLADE-THROUGH
DURCHGEHENDE KLINGE
EMBOUT EN CONTINU



166P (PH)	H (mm)	L (mm)	(g)	(pcs.)
1	75	175	78	6
2	100	210	129	6
3	150	270	203	6



166S	H (mm)	L (mm)	(g)	(pcs.)
5	75	175	78	6
6	100	210	129	6
8	150	270	203	6


166PS/6   Set 6 pieces
Satz 6teilig
Jeu de 6 tournevis



166PS/6 6 Pieces Set/△=885g

CARDBOARD BOX:W280xH115xT40mm
Screwdrivers



-  **166P** Screwdrivers
1, 2, 3
-  **166S** Screwdrivers
5, 6, 8

PK166PS/6   Set 6 pieces in Plastic Box
Satz 6teilig in Plastikassette
Module plastique des 6 tournevis





PK166PS/6 6 Pieces Set/△=950g

PLASTIC TRAY
Screwdrivers

-  **166P** Screwdrivers
1, 2, 3
-  **166S** Screwdrivers
5, 6, 8

- 168P** Screwdriver, PH
Schraubendreher, PH
Tournevis à zone de frappe, PH
- 168S** Slotted Screwdriver
Schlitz-Schraubendreher
Tournevis pour vis à fente



168P (PH)	H (mm)	L (mm)	(g)	(pcs.)
1	75	175	59	6
2	100	210	86	6
2(150)	150	260	100	6
2(200)	200	310	111	6
2(300)	300	410	133	1
3	150	270	150	6

168S	H (mm)	L (mm)	(g)	(pcs.)
5	75	175	59	6
6	100	210	86	6
6(150)	150	260	100	6
6(200)	200	310	111	6
6(300)	300	410	133	1
8	150	270	150	6

168PS/6 6 Pieces Set/△=660g

CARDBOARD BOX:W280xH115xT40mm

Screwdrivers

- 168P Screwdrivers
1, 2, 3

- 168S Screwdrivers
5, 6, 8

PK168PS/6 6 Pieces Set/△=720g

PLASTIC TRAY

Screwdrivers


- 168P Screwdrivers
1, 2, 3

- 168S Screwdrivers
5, 6, 8

- 168PS/6** Set 6 pieces
Satz 6teilig
Jeu de 6 tournevis




- PK168PS/6** Set 6 pieces in Plastic Box
Satz 6teilig in Plastikbox
Module plastique des 6 tournevis



168CS	H (mm)	L (mm)	(g)	(pcs.)
2x6	22	86	46	6

- 168CS** Interchangeable Screwdriver, Stubby
Schraubendrehergriff für auswechselbare Klinge, kurz
Poignée porte-lames reversible, court



168C	H (mm)	L (mm)	(g)	(pcs.)
2x6	100	210	108	6
2x6(150)	150	260	120	6
2x6(200)	200	310	133	6

- 168C** Interchangeable Screwdriver
Schraubendrehergriff für auswechselbare Klingen
Poignée porte-lames reversible




Screwdrivers
Schraubendreher
Tournevis

Z-SERIES
HAND
TITANIUM
SCREWDRIVERS ACCESSORIES
IMPACT
SLEEVE-DRIVE
PROTECTOR
INDUSTRIAL
AUTOMOTIVE
MOTORCYCLE
CONSTRUCTION
SPARE PART

2769N-150 / -220

Spin Type Handle
Drehgriff
Poignée emmanchée



2769N		H (mm)	L (mm)	(g)	(pcs.)
150	1/4"	50	150	73	2
220		120	220	100	2




Plastic or rubber handles are not intended to act as insulation.

Plastik-oder Gummigriffe stellen keinen Isolierschutz dar.

Les poignées en plastique ou en caoutchouc ne garantissent aucune isolation électrique.

2769NWF-150 / -220

Spin Type Handle (Wobble-Fix)
Drehgriff, Wobble-Fix
Poignée emmanchée, angulaire



2769NWF		H (mm)	L (mm)	(g)	(pcs.)
150	1/4"	50	150	73	2
220		120	220	100	2

Wobble-Fix Extension Bar

Two way usage


- a) In a fixed position, as a normal extension bar
- b) In a half-fixed position, as a flexible extension bar providing a 15° angle operation

Winkel-Verlängerungen

Winkelverlängerungen lassen sich in zwei Einstellungen verwenden
a) voll eingesteckt und starr,
b) halb eingesteckt, mit einem Arbeitswinkel von 15°.


Rallonges angulaires

Deux utilisations possibles
a) comme rallonge normale, dans une position fixe
b) comme une rallonge angulaire avec une possibilité d'inclinaison jusqu'à 15°



3769N-160 / -230


Spin Type Handle
Drehgriff
Poignée emmanchée



3769N		H (mm)	L (mm)	(g)	(pcs.)
160	3/8"	50	160	110	2
230		120	230	135	2

3769NWF-160 / -230

Spin Type Handle (Wobble-Fix)
Drehgriff, Wobble-Fix
Poignée emmanchée, angulaire



3769NWF		H (mm)	L (mm)	(g)	(pcs.)
160	3/8"	50	160	110	2
230		120	230	135	2